Amendments to the Claims:

Claim 1 (Cancelled)

2. (Previously presented) A receiver comprising:

a filter that sends out an output signal having a symbol at an arbitrary time interval; an intermittent operation part that controls the filter intermittently at the time interval, according to the output signal supplied from the filter; and

a timing signal generator that generates a timing signal for turning on and off a power supply of the intermittent operation part, according to the arbitrary time interval in the output signal supplied from the filter.

- 3. **(Original)** The receiver as claimed in claim 2, wherein the timing signal generator generates a timing signal for turning on and off the power supply of the intermittent operation part, according to the control signal from the intermittent operation part.
- 4. **(Original)** The receiver as claimed in claim 2, wherein the timing signal generator generates a timing signal for turning on and off the power supply of the intermittent operation part, according to signal strength of the control signal from the intermittent operation part.
- 5. **(Original)** The receiver as claimed in claim 3, wherein the timing signal generator generates a timing signal for turning on and off the power supply of the intermittent operation part, according to a control signal from the intermittent operation part and an off period of the power supply of the intermittent operation part.

6. (Previously presented) A receiver comprising:

a filter that sends out an output signal having a symbol at an arbitrary time interval;

an intermittent operation part that controls the filter intermittently at the time interval, according to the output signal supplied from the filter; and

a register that holds a control signal from the intermittent operation part, wherein the filter is controlled according to the control signal held by the register.

- 7. **(Original)** The receiver as claimed in claim 2, wherein the timing signal generator generates a timing signal for turning on and off the power supply of the intermittent operation part, according to a reference clock in addition to the arbitrary time interval in the output signal.
- 8. (Previously presented) A frequency adjusting circuit comprising:
 - a reference filter that sets a phase difference to a reference clock signal;
- a multiplication circuit that multiplies the output signal supplied from the reference filter by the reference clock signal;
- a low-pass filter that is connected to an output of the multiplication circuit, the frequency adjusting circuit providing the reference filter with an output voltage supplied from the low-pass filter, to provide the reference filter with negative feedback, so that a cutoff frequency of the reference filter remains constant;
- a sample hold circuit that holds an output voltage supplied from the low-pass filter for a constant period;
- an analog-to-digital converter that converts an output voltage supplied from the sample hold circuit to digital data;
 - a digital-to-analog converter that converts the digital data to an analog adjusted value; and a register that holds the digital data converted, wherein the frequency adjusting circuit is
- operated intermittently according to the digital data held by the register.

Claim 9 (Cancelled)

- 10. **(Previously presented)** An electronic device loaded with the receiver as claimed in claim 2.
- 11. **(Original)** The receiver as claimed in claim 4, wherein the timing signal generator generates a timing signal for turning on and off the power supply of the intermittent operation part, according to a control signal from the intermittent operation part and an off period of the power supply of the intermittent operation part.
- 12. **(Previously presented)** An electronic device loaded with the receiver as claimed in claim 6.